

Complete Relief of Tardive Truncal Dystonia With a Low Dose of Levodopa/Carbidopa:
A Case Report. *Journal of Movement Disorders* 2025;18(1):103-105. Matsumoto S,
Goto S.

Therapeutic effects of dual dopaminergic modulation with L-DOPA and
chlorpromazine in patients with idiopathic cervical dystonia. *Neurology Clin Pract*
2024;14:e200254. Matsumoto S, Koizumi H, Shimazu H, Goto S.

Meige syndrome as a craniofacial type of dystonia treatable by dual dopaminergic
modulation using L-DOPA/chlorpromazine: a case report. *J Mov Disord* 2024;17:233-
235. Matsumoto S, Goto S.

A dual dopaminergic therapy with L-3,4-dihydroxyphenylalanine and chlorpromazine
for the treatment of blepharospasm, a focal dystonia: Possible implications for
striosomal D1 signaling. *Front Neurol* 2022;13:25. Matsumoto S, Koizumi H, Shimazu
H, Kaji R and Goto S.

Truncal dystonia with isolated middle cerebral artery ischemia Surg Neurol Int. 2022

Apr 15;13:155. doi: 10.25259/SNI_173_2022. Matsumoto S, Yamamoto Y, Fujita K,

Miyamoto R, Koizumi H, Tateishi A, Yamada N, Izumi Y